


NOZZLE SCHEDULE								
MARK	SIZE	SPEC	NOZ. TYPE	FUNCTION				
A	1/4"	6000#	CPLG	VENT				
В	6"	150#	R.F.S.O.	INLET				
C	6"	150#	R.F.S.O.	OUTLET				
D	1 1/2"	3000#	CPLG	DRAIN				

NOTES: 1. DESIGNED, FABRICATED AND STAMPED
IN ACCORDANCE WITH ASME CODE SECTION
VIII DIV. 1

2. SEPARATORS AVAILABLE IN CARBON STEEL, 304 & 316 STAINLESS STEEL, OR OPTIONAL ALLOYS UPON REQUEST.

3. ALL DIMENSIONS ARE IN INCHES

4. APPROXIMATE WEIGHT = 324 LBS



		TENGON						
		NO. DESCRIP	TION BY DATE	NO. DESCRIP	DESCRIPTION			
CONSTRUCTION A.S.M.E. SECTION VIII DIVISION I		DIDION SEPARATOR COMPANY A DIVISION OF						
A.S.M.E. 💽 –U1 STAMP REQUIRED		PH: (419) 483-2226 DIDION'S MECHANICAL WEB: didionseparator.com FX: (419) 483-4382 NOT BIGGESTBEST! e-mail: drech@didionsmech.com						
		110, 100, 100						
<u>DESIGN SPECIFICATIONS</u>		MODEL#: DST-6-150						
des. Press.	150 PSIG	S	SALES DRAWING					
des. Temp.	500° F.	DRWN. JLD	DATE: 03-29-10	APPR.	DATE:			
FULL VACUUM	YES	CHK.	DATE:	APPR.	DATE:			
CORR. ALL.	1/16"	SCALE:	DRAWING NUMBER		REV.	SHEET		
HYDRO. TEST	195 PSIG	D.M. NO.	DST-6-150-SALES 0 NO.		NO1_			
STRESS REL.	NONE REQ'D	P.O. NO.	ו - ס - ו כע	JU-SALES	L	0F_1_		
RADIOGRAPH	NONE REQ'D		MATION ON IT IS THE PROPERTY					
M.D.M.T	-20° F. ● 150 PSIG	TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED ON REQUEST. NEITHER THIS DRAWING NOR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BY COPIED, EXHIBITED OR FURNISHED TO OTHERS NOR MAY PHOTOGRAPHS BE TAKEN						

OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THIS DRAWING WITHOUT CONSENT OF DIDION'S MECHANICAL.